



ASL.2097x709

LEFT HINGE

RO Width 753mm [29 5/8"] - 833mm [32 13/16"] RO Height 2126mm [83 11/16"] - 2166mm [85 1/4"]





*120mm [4 3/4"] *Jamb thickness up to 145mm [5 11/16"] Outside Casing Height AFF 2177mm [85 11/16"] Finished Opening Height AFF 2094mm [82 7/16"] Finished Door Height 2097mm [82 9/16"] RO 2146mm [84 1/2"] +/- 20mm [13/16"] 7mm [1/4"] 40mm [1 9/16"]

COLLECTION

www.bartelsdoors.com / trademark
Contact Phone: 954,924,6137

CUSTOMER:	
ESTIMATE NUM.:	

PROJECT NAME:

PREPARED BY:

ORIGINAL PREPARED DATE: 07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.


technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!



ASL.2097x834

LEFT HINGE



www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

COLLECTION

CUSTOMER:

ESTIMATE NUM.:

PROJECT NAME:

PREPARED BY:

ORIGINAL PREPARED DATE: 07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!



ASL.2097x959

LEFT HINGE

RO Width 1003mm [39 1/2"] - 1083mm [42 5/8"] *120mm [4 3/4"] RO Height 2126mm [83 11/16"] - 2166mm [85 1/4"] *Jamb thickness up to 145mm [5 11/16"] Finish: RAL 9016 (White) Concealed Outside Casing Height AFF 2177mm [85 11/16"] Adjustable Hinge Finished Opening Height AFF 2094mm [82 7/16"] Finished Door Height 2097mm [82 9/16"] RO 2146mm [84 1/2"] +/- 20mm [13/16"] Handle Height AFF 1050mm [41 5/16"] Keyed or Privacy function may require additional drilling 7mm [1/4"] **Outside Casing Width** 40mm [1 9/16"] 1105mm [43 1/2"] RO 1043mm [41 1/16"] +/- 40mm [1 9/16"] Door Width 959mm [37 3/4"] 70mm [2 3/4"]

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

COLLECTION

CUSTOMER:

ESTIMATE NUM.:

PROJECT NAME:

PREPARED BY:

C. ANDRYKA

ORIGINAL PREPARED DATE: 07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.

All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!





ASR.2097x709

*120mm [4 3/4"]

RIGHT HINGE

RO Width 753mm [29 5/8"] - 833mm [32 13/16"] RO Height 2126mm [83 11/16"] - 2166mm [85 1/4"]





T R A D E M A R K C O L L E C T I O N

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

•
•

C. ANDRYKA

ORIGINAL PREPARED DATE:
07.JULY.2020

PREPARED BY:

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

Signature:	Date:

Door Width 709mm [27 15/16"]

70mm [2 3/4"]




ASR.2097x834

*120mm [4 3/4"]

*Jamb thickness up to 145mm [5 11/16"]

RIGHT HINGE

RO Width 878mm [34 9/16"] - 958mm [37 11/16"] RO Height 2126mm [83 11/16"] - 2166mm [85 1/4"]



Outside Casing Height AFF 2177mm [85 11/16"] Finished Opening Height AFF 2094mm [82 7/16"] Finished Door Height 2097mm [82 9/16"] RO 2146mm [84 1/2"] +/- 20mm [13/16"] 7mm [1/4"] 40mm [1 9/16"] T R A D E M A R K C O L L E C T I O N

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

ESTIMATE NUM.:	

PROJECT NAME:

CUSTOMER:

PREPARED BY:

ORIGINAL PREPARED DATE: 07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice. All millimeter dimensions are exact

All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

Signature: Date:

+/- 40mm [1 9/16"]

Door Width 834mm [32 13/16"]

70mm [2 3/4"]




ASR.2097x959

*120mm [4 3/4"]

*Jamb thickness up to

RIGHT HINGE

RO Width 1003mm [39 1/2"] - 1083mm [42 5/8"] RO Height 2126mm [83 11/16"] - 2166mm [85 1/4"]



145mm [5 11/16"] Outside Casing Height AFF 2177mm [85 11/16"] Finished Opening Height AFF 2094mm [82 7/16"] Finished Door Height 2097mm [82 9/16"] RO 2146mm [84 1/2"] +/- 20mm [13/16"] 7mm [1/4" 40mm [1 9/16"]

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

CUSTOMER:

ESTIMATE NUM.:
PROJECT NAME:

PREPARED BY:

ORIGINAL PREPARED DATE:

07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

RO 1043mm [41 1/16"] +/- 40mm [1 9/16"] Door Width 959mm [37 3/4"] 70mm [2 3/4"]

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!





ASL.2347x709

*120mm [4 3/4"]

LEFT HINGE

RO Width 753mm [29 5/8"] - 833mm [32 13/16"] RO Height 2376mm [93 9/16"] - 2416mm [95 1/8"]





www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

COLLECTION

CUSTOMER:

ESTIMATE NUM.:

PROJECT NAME:

PREPARED BY:

C. ANDRYKA

ORIGINAL PREPARED DATE: 07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice. All millimeter dimensions are exact

All millimeter dimensions are exac and supersede inch conversions.

RO 793mm [31 1/4"] +/- 40mm [1 9/16"] Door Width 709mm [27 15/16"] 70mm [2 3/4"]

Technical drawings must be verified and approved in written form.

Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

855mm [33 11/16"]



ASL.2347x834

LEFT HINGE

*120mm [4 3/4"] RO Width 878mm [34 9/16"] - 958mm [37 11/16"] *Jamb thickness up to RO Height 2376mm [93 9/16"] - 2416mm [95 1/8"] 145mm [5 11/16"] Finish: RAL 9016 (White) Outside Casing Height AFF 2427mm [95 9/16"] Finished Opening Height AFF 2344mm [92 5/16"] Finished Door Height 2347mm [92 3/8"] RO 2396mm [94 5/16"] +/- 20mm [13/16"] Concealed Adjustable Hinge Handle Height AFF 1050mm [41 5/16"] Keyed or Privacy function may require additional drilling 7mm [1/4" **Outside Casing Width** 40mm [1 9/16"] 980mm [38 9/16"] RO 918mm [36 1/8"] +/- 40mm [1 9/16"] Door Width 834mm [32 13/16"] 70mm [2 3/4"]

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

COLLECTION

CUSTOMER:

ESTIMATE NUM.:

PROJECT NAME:

PREPARED BY:

C. ANDRYKA

ORIGINAL PREPARED DATE:

07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.

All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!



ASL.2347x959

LEFT HINGE

RO Width 1003mm [39 1/2"] - 1083mm [42 5/8"] RO Height 2376mm [93 9/16"] - 2416mm [95 1/8"]

Finish: RAL 9016 (White) Concealed Adjustable Hinge Handle Height AFF 1050mm [41 5/16"] Keyed or Privacy function may require additional drilling

*120mm [4 3/4"] *Jamb thickness up to 145mm [5 11/16"] Outside Casing Height AFF 2427mm [95 9/16"] Finished Opening Height AFF 2344mm [92 5/16"] Finished Door Height 2347mm [92 3/8"] RO 2396mm [94 5/16"] +/- 20mm [13/16"] 7mm [1/4" 40mm [1 9/16"]

1105mm [43 1/2"]

RO 1043mm [41 1/16"]
+/- 40mm [1 9/16"]

Door Width
959mm [37 3/4"]

70mm [2 3/4"]

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

Signature: Date:

Outside Casing Width

TRADEMARK COLLECTION

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

Contact	Phone:	954.924	. 0 1 3
CUSTOM	ER:		
ESTIMAT	F NIIM ·		
LOTHINAT			
PROJEC1	NAME:		
PREPARI	-D RY		

ORIGINAL PREPARED DATE: 07.JULY.2020

C. ANDRYKA

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.


technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.




ASR.2347x709

RIGHT HINGE

RO Width 753mm [29 5/8"] - 833mm [32 13/16"] RO Height 2376mm [93 9/16"] - 2416mm [95 1/8"]





www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

CUSTOMER:

ESTIMATE NUM.:

PROJECT NAME:

PREPARED BY:

ORIGINAL PREPARED DATE:

07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.

All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

Signature: Date:

RO 793mm [31 1/4"] +/- 40mm [1 9/16"]

Door Width 709mm [27 15/16"]




ASR.2347x834

*120mm [4 3/4"]

RIGHT HINGE

RO Width 878mm [34 9/16"] - 958mm [37 11/16"] RO Height 2376mm [93 9/16"] - 2416mm [95 1/8"]



*Jamb thickness up to 145mm [5 11/16"] Outside Casing Height AFF 2427mm [95 9/16"] Finished Opening Height AFF 2344mm [92 5/16"] Finished Door Height 2347mm [92 3/8"] RO 2396mm [94 5/16"] +/- 20mm [13/16"] 7mm [1/4" 40mm [1 9/16"]

COLLECTION

www.bartelsdoors.com / trademark
Contact Phone: 954.924.6137

CUSTOMER:

ESTIMATE NUM.:

PROJECT NAME:

PREPARED BY:

C. ANDRYKA

ORIGINAL PREPARED DATE:

07.JULY.2020

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.

All millimeter dimensions are exact and supersede inch conversions.

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

Signature: Date:

RO 918mm [36 1/8"] +/- 40mm [1 9/16"]

Door Width 834mm [32 13/16"]

70mm [2 3/4"]




ASR.2347x959

*120mm [4 3/4"]

RIGHT HINGE

RO Width 1003mm [39 1/2"] - 1083mm [42 5/8"] RO Height 2376mm [93 9/16"] - 2416mm [95 1/8"]



*Jamb thickness up to 145mm [5 11/16"] Outside Casing Height AFF 2427mm [95 9/16"] Finished Opening Height AFF 2344mm [92 5/16"] Finished Door Height 2347mm [92 3/8"] RO 2396mm [94 5/16"] +/- 20mm [13/16"] 7mm [1/4" 40mm [1 9/16"]

+/- 40mm [1 9/16"]

Door Width
959mm [37 3/4"]

70mm [2 3/4"]

1105mm [43 1/2"] RO 1043mm [41 1/16"]

Technical drawings must be verified and approved in written form. Bartels Doors & Hardware will not assume liability for the accuracy of these drawings!

Signature: Date:

TRADEMARK COLLECTION

www.bartelsdoors.com / trademark Contact Phone: 954.924.6137

	00110211010
CUSTOMER:	
ESTIMATE NUM.:	
PROJECT NAME:	
PREPARED BY:	

ORIGINAL PREPARED DATE: 07.JULY.2020

C. ANDRYKA

Please carefully review drawings for accuracy including but not limited to the dimensions, hinge or sliding direction, handle models, door styles and finishes.

Copyright Bartels Doors Inc., all rights reserved. Reproduction or other use of these designs without written consent from Bartels Doors Inc. is prohibited.

technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.